



**WISCO INDUSTRIES, INC.**

**wiscoind.com**

FAMILY  
OWNED AND  
OPERATED  
SINCE 1949

**Pizza Ovens • Convection Ovens • Merchandisers  
Deli Wrappers & Shrink Film**



## Pizza/Convection Ovens



Wisco Industries has been a top manufacturer of convenience food service equipment for over 40 years. Our ovens and merchandisers are engineered and manufactured for high-volume usage, and perform consistently under extreme conditions. Wisco products withstand around-the-clock use, multiple operators, and self-service merchandising, while supporting a wide variety of convenience foods.

Known for their adaptability, Wisco ovens and warmers can be used for virtually any convenience food. Whether you're serving pizzas, tacos, hot dogs, and nachos, or cookies, pretzels, poppers, and cheese sticks, we have the product that's right for you. Versatile and reliable, Wisco products are your service solution.



**MODEL 560E DELUXE PIZZA OVEN**

### Features:

- Removable clean-out tray
- 15-minute mechanical timer with "HOLD" option
- Variable-control thermostat from 100°F to 675°F
- Attractive stainless steel outer housing
- Insulated
- Long-life calrod heating elements
- Flip-up handle design for easier storage
- Use with model 680-1 on top for a great space saving feature



### Electrical Data:

- 120 volts, 14.2 amps, 1700 watts

### Dimensions:

- 19-1/2"L x 23-5/8"W x 10-1/4"H
- 2-9/16" x 17-1/2" door opening
- Grill/Rack dimension: 17" x 17"



**MODEL 421  
PIZZA/MULTI-PURPOSE OVEN**

### Features:

- Removable clean-out tray
- LED display
- Adjustable thermostat 150°F–500°F in 25°F increments
- 30-minute digital display timer
- Quick one-touch setting of 450°F for 10 minutes
- Long-life calrod heating elements
- Flip-up handle design for easier storage
- "Formed" tray to prevent food products from sliding off back of tray



### Additional Accessories:

- Cookie pan (#18024)
- Cooling rack (#616CR)
- Parchment paper: 500 sheets (#18167-1), 1,000 sheets (#18167-2)

### Electrical Data:

- 120 volts, 12.5 amps, 1500 watts

### Dimensions:

- 15"L x 18"W x 7-3/4"H
- Internal dimensions: 13" x 13" x 3"
- Opening: 3" x 13"



**MODEL 425C  
DIGITAL/MULTI-PURPOSE OVEN**

### Features:

- Removable clean-out tray
- Dual thermostat: LOW - approx. 350°F
- HIGH - approx. 450°F
- 30-minute timer
- Long-life calrod heating elements
- Flip-up handle design for easier storage
- Bakes (1) 12" original crust pizza in approx. 8–12 min.
- Bakes (1) 12" rising dough crust pizza in approx. 25 min.



### Additional Accessories:

- Cookie pan (#18024)
- Cooling rack (#616CR)
- Parchment paper: 500 sheets (#18167-1), 1,000 sheets (#18167-2)

### Electrical Data:

- 120 volts, 12.5 amps, 1500 watts

### Dimensions:

- 15"L x 18"W x 8"H
- Inside dimension: 13" x 13" x 3"
- Opening: 3" x 13"

## Pizza/Convection Ovens



**MODEL 412-5-NCT PIZZA OVEN**

### Features:



- Brushed stainless steel exterior
- Removable clean-out tray
- Preset thermostat (approx. 500°F)
- Mechanical 15-minute timer
- Long-life calrod heating elements
- Flip-up handle design for easier storage
- Bakes (1) 12" original thin crust pizza in approx. 8–12 min.

### Electrical Data:

- 120 volts, 12 amps, 1450 watts

### Dimensions:

- 15"L x 18"W x 7-3/4"H  
Internal cavity: 13" x 13"  
Opening: 1-7/8" x 13"



**MODEL 520 COOKIE OVEN/  
CONVECTION OVEN**

### Features:



- High speed fan for even air distribution
- Temperatures ranging from 100°F–350°F
- Stainless steel outer construction
- Removable door and rack slides for easy cleaning
- Unit comes with (3) customized 14-1/2" x 10" aluminum baking trays. These are slightly larger than a standard 1/4 size pan to allow for more cookies.
- Portable, magnetic digital timer (1) AAA battery required; not included

*Able to accommodate (3) standard 1/4 size sheet pans (not included)*

### Additional Accessories:

- Cooling rack (#0022840CR)
- Boxed set of (3) aluminum baking trays (#00520PS3)
- 500 sheets parchment paper (#0022847)
- Portable, magnetic digital timer (#0022845) (1) AAA battery required; not included

### Electrical Data:

- 120 volts, 11.25 amps, 1350 watts

### Dimensions:

- 20"L x 17-1/2"W x 9"H



**MODEL 620 CONVECTION OVEN**

### Features:



- Precise, adjustable time and temperature control
- High-speed fan for even air distribution
- Temperatures ranging from 100°F–450°F
- Stainless steel construction
- Insulated, double wall construction
- Cool touch safety (tempered) glass door
- Removable door and rack slides for easy cleaning
- Unit comes with (3) wire racks and (3) 13-1/2" x 10" aluminum baking trays

*Able to accommodate (3) standard 1/4 size sheet pans (not included)*

### Additional Accessories:

- Cooling rack (#0022840CR)
- Boxed set of (3) aluminum baking trays (#00620PS3)
- Parchment paper 500 sheets (#0022693), 1,000 sheets (#0022694)

### Electrical Data:

- 120 volts, 10.9 amps, 1300 watts

### Dimensions:

- 18"L x 19"W x 14-1/4"H  
Inside dimension: 11"L x 14"W x 8-5/8"H

## Food Warmers/ Merchandisers



**MODELS 780/780-P FOOD WARMING/  
MERCHANDISING CABINETS**

### Features:



- Acrylic display
- "Ready To Go" graphic w/model 780, incl. 1.25" channel graphics: **HOT, FRESH, DELICIOUS**
- "Ready To Go" pizza graphic w/model 780-P, incl. channel graphics: **CHEESE, SAUSAGE, PEPPERONI, DELUXE** & Price Sheet
- Heated, forced air
- Adjustable thermostat
- Temperature range to 170°F
- Overhead illumination
- Single rear door for product stocking
- 3 front opening doors for product removal
- Top & middle rack: 9" x 14-1/2"  
Bottom rack: 9" x 11"
- 4-1/2" spacing between racks

### Electrical Data:

- 120 volts, 5.4 amps, 650 watts

### Dimensions:

- 16-1/2"L x 9-1/2"W x 21-1/2"H

# Food Warmers/ Merchandisers

680-1  
(single door)



680-2  
(2 door pass through)



## MODELS 680-1/680-2 FOOD WARMING/ MERCHANDISING CABINETS

### Features:



- Red hood with "Ready To Go" pizza graphic panels (#1013757)
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- 2 heated, illuminated shelves
- Each shelf accommodates up to a 16" pizza
- Optional racks available (1 per shelf) FLAT (#0016777) or 3/4" RAISED (#0016289)
- Great for placing on top of the Wisco Model 560 pizza oven for a space saving feature



### Electrical Data:

- 120 Volts, 2.1 Amps, 260 Watts

### Dimensions:

- Outside: 18"L x 18"W x 24"H  
Inside: 17"L x 17"W x 13-1/2"H

Available as a  
single door  
unit ONLY



## MODEL 680-3 FOOD WARMING/ MERCHANDISING CABINET

### Features:



- Red hood with "Ready To Go" pizza graphic panels
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- 3 heated, illuminated shelves
- Each shelf accommodates up to a 16" pizza
- Single door unit only
- Optional racks available (1 per shelf) FLAT (#0016777) or 3/4" RAISED (#0016289)
- Great for placing on top of the Wisco Model 560 pizza oven for a space saving feature

### Electrical Data:

- 120 Volts, 3.54 Amps, 421 Watts

### Dimensions:

- Outside: 18"L x 18"W x 24"H  
Inside: 17"L x 17"W x 13-1/2"H

# Convenience



## MODEL 680-4 FOOD WARMING/ MERCHANDISING CABINET

### Features:



- Backlit "Ready To Go" graphics
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- 4 heated, illuminated shelves
- Each shelf accommodates up to a 16" pizza
- Optional racks available (1 per shelf) FLAT (#0016777) or 3/4" RAISED (#0016289)
- Single door unit only; not available as 2 door "pass through" option

### Electrical Data:

- 120 Volts, 5 Amps, 600 Watts

### Dimensions:

- 18"L x 18"W x 33"H  
Each shelf is 17" x 17" with 5-1/2" between shelves



690-16 (single door)



690-25 (2 door)

## MODELS 690-16/690-25 FOOD WARMING/ MERCHANDISING CABINETS

### Features:



- Acrylic display
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- Stainless steel corners and base
- 2 door "self-serve" option available
- Additional shelves (#0016388) available

### 690-16

- Available as single door or 2 door pass through unit
- Total height of available shelf space: 14"
- Unit comes with 2 shelves

### 690-25

- Available as single door or 2 door pass through unit
- Total height of available shelf space: 23"
- Unit comes with 4 shelves

### Electrical Data:

- 120 volts, 5.3 amps, 640 watts

### Dimensions:

- 690-25: 18"L x 18"W x 34"H  
690-16: 18"L x 18"W x 25"H

# Food Warmers/ Merchandisers



**MODEL 695 FOOD WARMING/  
MERCHANDISING CABINET**

**Features:**



- “Ready To Go” pizza graphic panels on Model 695
- Indicator lights show when water tank is empty/full
- Glass panels and display floor remove for easy cleaning
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- 2 Door “self-serve” option available
- Rotating racks accommodate up to a 16" pizza

**Electrical Data:**

- 120 volts, 8.9 amps, 1070 watts

**Dimensions:**

- 18-1/2"L x 18-1/2"W x 32"H



**MODEL 695-S FOOD WARMING/  
MERCHANDISING CABINET**

**Features:**



- “Ready To Go” graphic panels on Model 695-S
- Indicator lights show when water tank is empty/full
- Glass panels and display floor remove for easy cleaning
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- 2 Door “self-serve” option available
- Includes (4) shelves
- Total height of adjustable shelf space: 21"
- Adjustable shelves accommodate up to a 14" pizza
- Additional shelves available (#0018630)

**Electrical Data:**

- 120 volts, 8.5 amps, 1020 watts

**Dimensions:**

- 18-1/2"L x 18-1/2"W x 32"H

# Dependability



**MODELS 580/580-2 FOOD WARMING/  
MERCHANDISING CABINETS**

**Features:**



- Stainless steel floor
- Acrylic plastic enclosure and top-mounted light offer maximum visibility
- “Ready To Go” graphic panel
- Adjustable thermostat
- Temperatures from 80°F to above 150°F
- White hood standard

**Additional Accessories:**

- Wavy/corrugated tray (# 0018101)
- Flat “grill-like” rack that raises food product approx. 3/4" off of base (#0018131)

**Electrical Data:**

- 120 volts, 1.6 amps, 195 watts

**Dimensions:**

- 13"L x 13"W x 10"H



**MODELS 727/727HH FOOD WARMING/  
MERCHANDISING CABINETS**

**Features:**



- Acrylic display
- “Ready To Go” graphic
- Adjustable thermostat
- Temperature range to above 150°F
- Dual front doors
- Stainless steel base
- Overhead illumination
- 2 removable racks
- Model 727: Non Humidified
- Model 727HH: Humidified

**Electrical Data:**

- 120 volts, 2.5 amps, 300 watts

**Dimensions:**

- 12-1/4"L x 13-1/4"W x 18-1/4"H
- Upper Rack: 11-1/2" x 9"
- Lower Rack: 11-1/2" x 11-1/2"

# Food Warmers/ Merchandisers



**MODELS 282-16/282-16-R FOOD WARMING/MERCHANDISING CABINETS**

## Features:



- Thermostatically controlled heated shelf and base plate
- Adjustable thermostat for precise temperature control
- Temperature range to above 150°F
- Illuminated to showcase product on both heated surfaces
- (2) 2"x16" display channels that allow you to slide in custom graphics
- Sturdy, durable stainless steel construction
- Slanted shelf/base units available that have the top shelf and base angled down 6° in front: Models: 282-16-S or 282-16-R-S

## Available Accessories:

- 3 7/8" W Aluminum Product Tray (#0022520)
- 8"W Aluminum product Tray (unit holds 2 trays per surface) (#0022591)
- Flat Grill Rack (unit holds 1 rack per surface) (#0022592)
- Sign Holder (#0022590)

## Electrical Data:

- 120 volts, 10.6 amps, 1275 watts

## Dimensions:

- Outside: 18"W x 17"D x 20 1/2"H
- Inside: Base - 17"W x 16"D
- Shelf - 17"W x 16"D



**MODELS 282-24/282-24-R FOOD WARMING/MERCHANDISING CABINETS**

## Features:



- Thermostatically controlled heated shelf and base plate
- Adjustable thermostat for precise temperature control
- Temperature range to above 150°F
- Illuminated to showcase product on both heated surfaces
- (2) 2"x24" display channels that allow you to slide in custom graphics
- Sturdy, durable stainless steel construction
- Slanted shelf/base units available that have the top shelf angled down 6° in front: 282-24-S or 282-24-SR

## Additional Accessories:

- Acrylic sneeze guard (#0022544SK)
- Flat grill racks (#0022542)
- 8" Aluminum product trays (#0022591)
- 3-7/8" Aluminum product trays (#0022520)
- Divider bars (#0022521)
- Sign holder (#0022523)

## Electrical Data:

- 120 volts, 12.5 amps, 1500 watts

## Dimensions:

- Outside: 25"L x 18"W x 20-1/2"H
- Inside: Base - 24"L x 17"W; Shelf - 24"L x 17"W

# Presentation



**MODEL 925W FOOD WARMING/MERCHANDISING CABINET**

## Features:



- Glass and stainless steel construction
- Adjustable thermostat
- Temperatures from 80°F to above 150° F
- Comes standard with 4 adjustable shelves
- Total height of available shelf space is 21"
- Additional shelves available (#0018630)

## Electrical Data:

- 120 volts, 7.9 amps, 946 watts

## Dimensions:

- 18-3/4"L x 18-3/4"W x 29-1/2"H

Photo shows  
15" & 7" models  
side by side



**MODELS 323HH (15") & 323HH-7 (7") FOOD WARMING/MERCHANDISING CABINETS**

## Common Features:



- Fully adjustable thermostat
- Temperatures from 80°F to 150°F
- Overhead illumination
- Lift-off door and removable side panels for easy cleaning
- Glass sides/Acrylic front & stainless steel construction

## 323HH (15") Only

- 2 tier removable rack
- 14-7/8" x 12-1/2" & 11-5/8" x 12-1/2"
- 5-1/4" spacing between shelves

## 323HH-7 (7") Only

- 3 tier removable rack
- 15-3/4" x 6", 13-1/2" x 6", & 11-1/4" x 6"
- 3-5/8" spacing between shelves

## Electrical Data:

- **323HH-7:** 120 volts, 5.5 amps, 650 watts
- **323HH:** 120 volts, 7.5 amps, 900 watts

## Dimensions:

- **323HH:** 19-3/4"L x 15-1/16"W x 19"H
- **323HH-7:** 19-3/4"L x 7-1/8"W x 19"H

# Accessories

*Quality*



**MODEL 630 DELI WRAPPER**

**Features:**

- INCLUDES ADAPTER DISC FOR 10"-12" PIZZAS
- High watt density heating element shrink wraps pizzas in seconds
- Thermostatically controlled heating element provides controlled heat for continuous or intermittent operation
- (3) thumb screws remove protection shroud for cleaning
- Heat shroud and stainless steel clean-out tray add to ease of maintenance and cleanability
- Heat shroud reduces temperatures to prevent film sticking and provides extra measure of safety to prevent burns
- Adjustable pedestal accommodates various sizes of product for shrink wrapping

**Additional Accessories:**

- Model 650-BW: 2 tier dispenser
- Model 650-1-BW: Single tier dispenser
- 14"-16" pizza adapter disc (#0016239)
- 6"-8" pizza adapter disc (#0016240)

**Electrical Data:**

- 120 volts, 12.5 amps, 1500 watts

**Dimensions:**

- 12"L x 12"W x 7"H with adjustable supporting surface
- 14" diameter protective shield



**MODEL 650-BW 2 TIER DISPENSER  
MODEL 650-1-BW SINGLE TIER DISPENSER**



**Shrink Film:**

<u>Part Number</u>	<u>Sheet Size</u>	<u>Recommended For</u>	<u># of Sheets Per Roll</u>
0017011	16 X 16	8" Pizza	1100
0017018	18 X 18	10" Pizza	600
0017008	20 X 20	12" Pizza	500
0017010	22 X 22	14" Pizza	500
0017009	24 X 24	16" Pizza	500



**MODELS 660N/670N LTR SYSTEM LABEL/TAPE/RIBBON DISPENSERS**

**Features:**

- Dispensers accommodate tape, labels and ribbon in any roll width having core diameters of either 1" or 3" and an overall diameter of up to 6"
- Rolls are installed and replaced without disturbing others in place
- 4 suction cups on bottom to secure placement of unit

**Model 660N**

- 18" Version
- 19"L x 8-5/8"W x 4-1/8"H

**Model 670N**

- 10" Version
- 11"L x 8-5/8"W x 4-1/8"H



**MODEL 220 MERCHANDISING CART**

**Model 220 Features:**

- Made from high density polyethylene recycled material
- Shelves and legs will not chip, warp, crack, rust or peel
- Dimensions: 18"L x 24"W x 34" H
- 3 shelves (12" clearance between shelves)
- 1/4" safety retaining lip on each shelf
- Raised texture surface to enhance product placement and ensure minimal sliding
- Heavy duty 4" swivel casters, two with locking brake
- 200 lb. weight capacity
- Great for placing merchandiser on top for space saving feature



Model	Shipping Dimensions	Shipping Weight	Recommended Shipping Method
220	27"L x 19"W x 9"H	23 lbs.	UPS
282-16 & 282-16-R	22"L x 22"W x 24"H	47 lbs.	UPS
282-24 & 282-24-R	30"L x 22"W x 24"H	66 lbs.	UPS
323HH (15")	25"L x 22"W x 24"H	55 lbs.	UPS
323HH (7")	25"L x 14"W x 24"H	34 lbs.	UPS
412-5-NCT	21"L x 19"W x 10"H	20 lbs.	UPS
421	21"L x 18"W x 9"H	21 lbs.	UPS
425C	20"L x 18"W x 9"H	16 lbs.	UPS
520	23"L x 21"W x 12"H	30 lbs.	UPS
560E	27"L x 23"W x 12"H	41 lbs.	UPS
580 & 580-2	19"L x 18"W x 21"H	15 lbs.	UPS
620	25"L x 23"W x 18"H	47 lbs.	UPS
630	17"L x 16"W x 10"H	13 lbs.	UPS
660N (Case of 6)	19"L x 14"W x 20"H	50 lbs.	UPS
660N (Single Unit)	20"L x 9"W x 5"H	8 lbs.	UPS
670N (Case of 6)	19"L x 14"W x 12"H	32 lbs.	UPS
670N (Single Unit)	12"L x 9"W x 5"H	5 lbs.	UPS
680-1 & 680-2	24"L x 24"W x 32"H	37 lbs.	UPS
680-3	24"L x 24"W x 32"H	44 lbs.	UPS
680-4	26"L x 26"W x 46"H	72 lbs.	Freight
690-16	24"L x 24"W x 32"H	43 lbs.	UPS
690-25	26"L x 26"W x 45"H	63 lbs.	Freight
695 & 695-S	26"L x 26"W x 41"H	98 lbs.	Freight
727 & 727HH	16"L x 16"W x 23"H	23 lbs.	UPS
780 & 780-P	26"L x 15"W x 25"H	30 lbs.	UPS
925W	26"L x 26"W x 40"H	85 lbs.	Freight

**LIMITED WARRANTY** - Wisco Industries, Inc. expressly warrants the product will be free from defects in workmanship and materials for a period of 1 year from the date of shipment. WISCO DISCLAIMS AND EXCLUDES ANY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY AND ALL WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyer agrees that its SOLE AND EXCLUSIVE REMEDY against Wisco and Wisco's SOLE AND EXCLUSIVE LIABILITY arising out of any defect or nonconformity in the product shall be replacement/exchange of such nonconforming countertop food service equipment at Wisco's expense. No countertop food service equipment shall be returned without Wisco's consent. IT IS AGREED THAT WISCO'S MAXIMUM LIABILITY SHALL NOT IN ANY CASE EXCEED THE SALE PRICE FOR THE COUNTERTOP EQUIPMENT CLAIMED TO BE DEFECTIVE OR NONCONFORMING. See [wiscoind.com/warranty](http://wiscoind.com/warranty) for complete information.



An ISO 9001 Company

P.O. Box 10 • Oregon, WI 53575-0010 • P 608-835-3106 • F 608-835-7399 • [www.wiscoind.com](http://www.wiscoind.com)

FP140093 ORIG